



CIMAR 2007

Articles in International Scientific Indexed Journals

PUBLICATIONS

(ISI INTERNATIONAL SCIENTIFIC INDEXED)

1. Abbink W., Hang X.M., Guerreiro P.M., Spanings F.A.T., Ross H.A., Canário A.V.M. and Flik G. (2007). Parathyroid hormone-related protein and calcium regulation in vitamin D-deficient sea bream (*Sparus auratus*). *Journal of Endocrinology*, 193(3): 473-480.
2. Abrantes F., Lopes C., Mix A. and Pias N. (2007). Diatoms in southeast pacific surface sediments reflect environmental properties. *Quaternary Science Reviews*, 26(1-2): 155-169.
3. Acerete L., Balasch J.C., Castellana B., Redruello B., Roher N., Canário A.V., Planas J.V., MacKenzie S. and Tort L. (2007). Cloning of the glucocorticoid receptor (GR) in gilthead seabream (*Sparus aurata*) - Differential expression of GR and immune genes in gilthead seabream after an immune challenge. *Comparative Biochemistry and Physiology B - Biochemistry & Molecular Biology*, 148(1): 32-43.
4. Afonso-Dias I., Kalavati C., Mackenzie K. and Mackenzie K.S. (2007). Three new species of Myxosporea (Bivalvulida: Ceratomyxidae: Alatasporidae) from the gall bladders of anglerfishes *Lophius* spp. (Teleostei:Lophiidae) in the Northeast Atlantic Ocean. *Zootaxa*, 1466: 35-46.
5. Almada V.C., Domingues V.S., Monteiro N.M., Almada F. and Santos R.S. (2007). Molecular data confirm the validity of the Portuguese blenny (*Parablennius ruber*, Valenciennes, 1836) and its presence in Western Europe. *Journal of Fish Biology*, 70(B): 248-254.
6. Amaral A.B.L., Alves T.V.S., Lopes-Lima M. and Machado J. (2007). A short-term comparative study on *Diplodon rhuacoicus* young adults shell growth under enriched São Francisco river water. *Thalassas, an International Journal of Marine Sciences*, 23(1): 33-38.
7. Anderson A. and Marhadour A. (2007). Slick PR? The media politics of the *Prestige* oil spill. *Science Communication*, 29(1): 96-115.
8. Anibal J., Rocha C. and Sprung M. (2007). Mudflat surface morphology as a structuring agent of algae and associated macroepifauna communities: a case study in the Ria Formosa. *Journal of Sea Research*, 57(1): 36-46.
9. Antunes P., Gil O. and Reis-Henriques M.A. (2007). Evidence for higher magnification factors of lower chlorinated PCBs in cultivated seabass. *Science of the Total Environment*, 377(1): 36-44.
10. Antunes P., Gil O., Ferreira M., Vale C. and Reis-Henriques M.A. (2007). Depuration of PCBs and DDTs in mullet under captivity clean conditions. *Chemosphere*, 67(9): S58-S64.
11. Antunes A., Pontius J., Ramos M.J., O'Brien S.J. and Johnson W.E. (2007). Mitochondrial introgressions into the nuclear genome of the domestic cat. *Journal of Heredity*, 98(5): 414-420.
12. Antunes A. and Ramos M.J. (2007). Gathering computational genomics and proteomics to unravel adaptive evolution. *Evolutionary Bioinformatics*, 3: 207-209.
13. Aragão C., Conceição L.E.C., Lacuisse M., Yufera M. and Dinis M.T. (2007). Do dietary amino acid profiles affect performance of larval gilthead seabream? *Aquatic Living Resources*, 20(2): 155-161.
14. Arnaud-Haond S. and Belkhir K. (2007). GENCLONE: a computer program to analyse genotypic data, test for clonality and describe spatial clonal organization. *Molecular Ecology Notes*, 7(1): 15-17.
15. Arnaud-Haond S., Duarte C.M., Alberto F. and Serrão E.A. (2007). Standardizing methods to address clonality in population studies. *Molecular Ecology*, 16(24): 5115-5139.
16. Arnaud-Haond S., Migliaccio M., Diaz-Almela E., Teixeira S., van de Vliet M.S., Alberto F., Procaccini G., Duarte C.M. and Serrão E.A. (2007). Vicariance patterns in the Mediterranean Sea: east-west cleavage and low dispersal in the endemic seagrass *Posidonia oceanica*. *Journal of Biogeography*, 34(6): 963-976.
17. Ascenso R.M.T., Leite R.B., Afonso R. and Cancela M.L. (2007). Suppression-subtractive hybridization: a rapid and inexpensive detection methodology for up-regulated *Perkinsus olseni* genes. *African Journal of Biochemistry*, 1(3): 24-28.

18. Azevedo M.F., Lima C.F., Wilson J.M., Koepsell H., Fernandes-Ferreira M., Almeida M.J. and Pereira-Wilson C. (2007). *Salvia fruticosa* tea drinking reduces the expression of sodium/glucose cotransporter 1 in enterocytes brush-border membrane of streptozotocin-induced diabetic rats. *Planta Medica*, 73(9): 1000.
19. Barata E.N., Hubbard P.C., Almeida O.G., Miranda A. and Canário A.V.M. (2007). Male urine signals social rank in the Mozambique tilapia (*Oreochromis mossambicus*). *BMC Biology*, 5: 54.
20. Batista F.M., Leitão A., Fonseca V.G., Ben-Hamadou R., Ruano F., Reis-Henriques M.A., Guedes-Pinto H. and Boudry P. (2007). Individual relationship between aneuploidy of gill cells and growth rate in the cupped oysters *Crassostrea angulata*, *C. gigas* and their reciprocal hybrids. *Journal of Experimental Marine Biology and Ecology*, 352(1): 226-233.
21. Bertocci I., Vaselli S., Maggi E. and Benedetti-Cecchi L. (2007). Changes in temporal variance of rocky shore organism abundances in response to manipulation of mean intensity and temporal variability of aerial exposure. *Marine Ecology Progress Series*, 338: 11-20.
22. Billingham M.R., Simões T., Reusch T.B.H. and Serrão E.A. (2007). Genetic sub-structure and intermediate optimal outcrossing distance in the marine angiosperm *Zostera marina*. *Marine Biology*, 152(4): 793-801.
23. Bordalo A.A. and Savva-Bordalo J. (2007). The quest for safe drinking water: an example from Guinea-Bissau (West Africa). *Water Research*, 41(13): 2978-2986.
24. Borges R., Beldade R. and Gonçalves E.J. (2007). Vertical structure of very nearshore larval fish assemblages in a temperate rocky coast. *Marine Biology*, 151(4): 1349-1363.
25. Borges R., Ben-Hamadou R., Chicharo M.A., Ré P. and Gonçalves E.J. (2007). Horizontal spatial and temporal distribution patterns of nearshore larval fish assemblages at a temperate rocky shore. *Estuarine Coastal and Shelf Science*, 71(3-4):412-428.
26. Cabaco S., Machas R. and Santos R. (2007). Biomass-density relationships of the seagrass *Zostera noltii*: A tool for monitoring anthropogenic nutrient disturbance. *Estuarine Coastal and Shelf Science*, 74(3): 557-564.
27. Cabaco S. and Santos R. (2007). Effects of burial and erosion on the seagrass *Zostera noltii*. *Journal of Experimental Marine Biology and Ecology*, 340(2): 204-212.
28. Cabral H.N., Vasconcelos R., Vinagre C., França S., Fonseca V., Maia A., Reis-Santos P., Lopes M., Ruano M., Campos J., Freitas V., Santos P.T. and Costa M.J. (2007). Relative importance of estuarine flatfish nurseries along the Portuguese coast. *Journal of Sea Research*, 57(2-3): 209-217.
29. Cabral J.P. (2007). Shape and growth in European *Patella limpets* (Gastropoda, Mollusca). Ecological implications for survival. *Web Ecology*, 7: 11-21.
30. Cabral J.P. and Simões J. (2007). The southern limit of distribution of *Patella vulgata*. *Iberus*, 25(1): 57-75.
31. Cairrão E., Pereira M.J., Pastorinho M.R., Morgado F., Soares A.M.V.M. and Guilhermino L. (2007). *Fucus* spp. as a mercury contamination bioindicator in coastal areas (Northwestern Portugal). *Bulletin of Environmental Contamination and Toxicology*, 79: 388-395.
32. Calado R. and Dinis M.T. (2007). Minimization of precocious sexual phase change during culture of juvenile ornamental shrimps *Lysmata seticaudata* (Decapoda: Hippolytidae). *Aquaculture*, 269(1-4): 299-305.
33. Calado R., Dionísio G. and Dinis M.T. (2007). Decapod crustaceans associated with the snakelock anemone *Anemonia sulcata*. Living there or just passing by? *Scientia Marina*, 71(2): 287-292.
34. Calado R., Dionísio G. and Dinis M.T. (2007). Starvation resistance of early zoeal stages of marine ornamental shrimps *Lysmata* spp. (Decapoda: Hippolytidae) from different habitats. *Journal of Experimental Marine Biology and Ecology*, 351(1-2): 226-233.
35. Calado R., Dionísio G., Nunes C. and Dinis M.T. (2007). Facultative secondary lecithotrophy in the megalopa of the shrimp *Lysmata seticaudata* (Risso, 1816) (Decapoda: Hippolytidae) under laboratory conditions. *Journal of Plankton Research*, 29(7): 599-603.
36. Calado R., Vitorino A., Dionísio G. and Dinis M.T. (2007). A recirculated maturation system for marine ornamental decapods. *Aquaculture*, 263(1-4): 68-74.
37. Campinho M.A., Silva N., Nowell M.A., Llewellyn L., Sweeney G.E. and Power D.M. (2007). Troponin T isoform expression is modulated during Atlantic Halibut metamorphosis. *BMC Developmental Biology*, 7: 71.
38. Campinho M.A., Silva N., Sweeney G.E. and Power D.M. (2007). Molecular, cellular and histological changes in skin from a larval to an adult phenotype during bony fish metamorphosis. *Cell and Tissue Research*, 327(2): 267-284.

39. Cardoso J.C.R., de Vet E., Louro B., Elgar G., Clark M.S. and Power D.M. (2007). Persistence of duplicated PAC1 receptors in the teleost, *Sparus auratus*. *BMC Evolutionary Biology*, 7: 221.
40. Cardoso J.C.R., Vieira F.A., Gomes A.S. and Power D.M. (2007). PACAP, VIP and their receptors in the metazoa: Insights about the origin and evolution of the ligand-receptor pair. *Peptides*, 28(9): 1902-1919.
41. Cardoso J.F.M.F., Langlet D., Loff J.F., Martins A.R., Witte J.I.J., Santos P.T. and Van Der Veer H.W. (2007). Spatial variability in growth and reproduction of the Pacific oyster *Crassostrea gigas* (Thunberg, 1793) along the west European coast. *Journal of Sea Research*, 57(4): 303-315.
42. Carvalho P.N., Pinto L.F., Basto M.C.P. and Vasconcelos M.T.S.D. (2007). Headspace solid-phase micro-extraction and gas chromatography-ion trap tandem mass spectrometry method for butyltin analysis in sediments: optimization and validation. *Microchemical Journal*, 87(2): 147-153.
43. Carvalho S., Cúrdia J., Moura A., Gaspar M.B., Dinis M.T., Pousão-Ferreira P. and da Fonseca L.C. (2007). The influence of white seabream (*Diplodus sargus*) production on macrobenthic colonization patterns. *Acta Oecologica-International Journal of Ecology*, 31: 307-315.
44. Casal G., Costa G. and Azevedo C. (2007). Ultrastructural description of *Ceratomyxa tenuispora* (Myxozoa), a parasite of the marine fish *Aphanopus carbo* (Trichiuridae), from the Atlantic coast of Madeira Island (Portugal). *Folia Parasitologica*, 54: 165-171.
45. Casal G., Padovan I., Matos E., Padovan P., Matos P., Guimarães A. and Azevedo C. (2007). Morphological and ultrastructural redescription of *Calyptospora serralalmi* Cheung, Nigrelli & Ruggieri, 1986 (Apicomplexa: Calyptosporidae), a parasite found in two new species of the genus *Serrasalmus*. *Brazilian Journal of Morphological Sciences*, 24: 11-16.
46. Casimiro S. and Fidalgo M.L. (2007). Performance of the freshwater shrimp *Atyaephyra desmarestii* as indicator of stress imposed by textile effluents. *Web Ecology*, 7: 35-39.
47. Castilho R., Freitas M., Silva G., Fernandez-Carvalho J. and Coelho R. (2007) Morphological and mitochondrial DNA divergence validates blackmouth, *Galeus melastomus*, and Atlantic sawtail catsharks, *Galeus atlanticus*, as separate species. *Journal of Fish Biology*, 70(sc): 346-358.
48. Castro L.F.C., Lima D., Machado A., Melo C., Hiromori Y., Nishikawa J., Nakanishi T., Reis-Henriques M.A. and Santos M.M. (2007). Imposex induction is mediated through the Retinoid X Receptor signalling pathway in the neogastropod *Nucella lapillus*. *Aquatic Toxicology*, 85(1): 57-66.
49. Castro L.F.C., Melo C., Guillot R., Mendes I., Queirós S., Lima D., Reis-Henriques M.A. and Santos M.M. (2007). The estrogen receptor of the gastropod *Nucella lapillus*: modulation following exposure to an estrogenic effluent? *Aquatic Toxicology*, 84(4): 465-468.
50. Cavaleiro F. and Santos M.J. (2007). Survey of the metazoan ectoparasites of the European flounder *Platichthys flesus* (Linnaeus, 1758) along the North-central Portuguese coast. *Journal of Parasitology*, 93(5): 1218-1222.
51. Chang E.W.Y., Loong A.M., Wong W.P., Chew S.F., Wilson J.M. and Ip Y.K. (2007). Changes in tissue free amino acid contents, branchial Na⁺/K⁺-ATPase activity and bimodal breathing pattern in the freshwater climbing perch, *Anabas testudineus* (Bloch), during seawater acclimation. *Journal of Experimental Zoology*, 307A(12): 708-723.
52. Checa A., Jiménez-López C., Rodríguez-Navarro A. and Machado J. (2007). Precipitation of aragonite by calcitic bivalves in Mg-enriched marine waters. *Marine Biology*, 150(5): 819-827.
53. Chicharo M.A., Amaral A., Morais P. and Chicharo L. (2007). Effect of sex on ratios and concentrations of DNA and RNA in three marine species. *Marine Ecology Progress Series*, 332: 241-245.
54. Coelho R. and Erzini K. (2007) Population parameters of the smooth lantern shark, *Etmopterus pusillus*, in southern Portugal (NE Atlantic). *Fisheries Research*, 86(1): 42-57.
55. Coimbra A.M. and Reis-Henriques M.A. (2007). Tilapia larvae Aroclor 1254 exposure: effects on gonads and circulating thyroid hormones during adulthood. *Bulletin of Environmental Contamination and Toxicology*, 79(5): 488-493.
56. Coimbra A.M., Figueiredo-Fernandes A. and Reis-Henriques M.A. (2007). Nile tilapia (*Oreochromis niloticus*), liver morphology, CYP1A activity and thyroid hormones after endosulfan dietary exposure. *Pesticide Biochemistry and Physiology*, 89(3): 230-236.
57. Combrinck A.Z.A., Bos M.S., Fernandes R.M.S., Combrinck W.L. and Merry C.L. (2007). On the importance of proper noise modelling for long-term precipitable water vapour trend estimations. *South African Journal of Geology*, 110(2-3): 211-218.

58. Conceição L.E.C., Morais S. and Rønnestad I. (2007). Tracers in fish larvae nutrition: A review of methods and applications. *Aquaculture*, 267(1-4): 62-75.
59. Conceição L.E.C., Ribeiro L., Engrola S., Aragão C., Morais S., Lacuisse M., Soares F. and Dinis M.T. (2007). Nutritional physiology during development of Senegalese sole (*Solea senegalensis*). *Aquaculture*, 268(1-4): 64-81.
60. Correia A.D., Freitas S., Scholze M., Gonçalves J.F., Booij P., Lamoree M.H., Mañanós E. and Reis-Henriques M.A. (2007). Mixtures of estrogenic chemicals enhance vitellogenic response in sea bass. *Environmental Health Perspectives*, 115(s1): 115-121.
61. Correia A.D., Gonçalves R., Scholze M., Ferreira M. and Reis-Henriques M.A. (2007). Biochemical and behavioral responses in gilthead seabream (*Sparus aurata*) to phenanthrene. *Journal of Experimental Marine Biology and Ecology*, 347(1-2): 109-122.
62. Costa M.C., Peczek I., Sadowski Z., Natsu S. and Paiva A.P. (2007). The solvent extraction of iron(III) from chloride solutions by N,N'-tetrasubstituted malonamides: structure-activity relationships. *Solvent Extraction and Ion Exchange*, 25(4): 463-484.
63. Cruz C., Barbosa C. and Saraiva A. (2007). Distribution of larval anisakids in blue whiting of Portuguese fish market. *Helminthologia*, 44(1): 21-24.
64. Cuevas J., Silva P.A.S., Romero F.R. and Cruzeiro L. (2007). Dynamics of the Davydov-Scott monomer in a thermal bath: Comparison of the full quantum and semiclassical approaches. *Physical Review E*, 76: 011907 (1-8).
65. Cunha I., Conceição L.E.C. and Planas M. (2007). Energy allocation and metabolic scope on early turbot, *Scophthalmus maximus*, larvae. *Marine Biology*, 151(4): 1397-1405.
66. Cunha I., Mangas E. and Guilhermino L. (2007). Effects of copper and cadmium on cholinesterase and glutathione S-transferase activities of two marine gastropods (*Monodonta lineata* and *Nucella lapillus*). *Comparative Biochemistry and Physiology C – Toxicology & Pharmacology*, 145(4): 648-657.
67. Cunha I., Neuparth T., Caeiro S., Costa M.H. and Guilhermino L. (2007). Toxicity ranking of estuarine sediments on the basis of *Sparus aurata* biomarkers. *Environmental Toxicology and Chemistry*, 26(3): 444-453.
68. Cutrin J.M., Dopazo C.P., Thiéry R., Leão P., Oliveira J.G., Barja J.L. and Bandin I. (2007). Emergence of pathogenic betanodaviruses belonging to the SJNNV genogroup in farmed fish species from the Iberian Peninsula. *Journal of Fish Diseases*, 30(4): 225-232.
69. Curtis J.M.R., Ribeiro J., Erzini K. and Vincent A.C.J. (2007). A conservation trade-off? Interspecific differences in seahorse responses to experimental changes in fishing effort. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 17(5): 468-484.
70. Damasceno-Oliveira A., Fernández-Durán B., Gonçalves J., Serrão P., Soares-da-Silva P., Reis-Henriques M.A. and Coimbra J. (2007). Effects of cyclic hydrostatic pressure on the brain biogenic amines concentrations in the flounder, *Platichthys flesus*. *General and Comparative Endocrinology*, 153(1-3): 385-389.
71. Damásio J., Guilhermino L., Soares A.M.V.M, Riva M.C. and Barata C. (2007). Biochemical mechanisms of resistance in *Daphnia magna* exposed to the insecticide fenitrothion. *Chemosphere*, 70(1): 74-82.
72. Derous S., Austen M., Claus S., Daan N., Dauvin J.C., Deneudt K., Depestele J., Desroy N., Heessen H., Hostens K., Marboe A., Lescauwaeet A.-K., Moreno M.P., Moulart I., Paelinckx D., Rabaut M., Rees H., Ressurreição A., Roff J., Santos P., Speybroeck J., Stienen E.W.M., Taterek A., Hofstede R., Vincx M., Zarzycki T. and Degraer S. (2007). Building on the concept of marine biological valuation with respect to translating it to a practical protocol: view points derived from a joint Encora-Marbef initiative. *Oceanologia*, 49(4): 1-8.
73. Dethoup T., Manoch L., Kijjoa A., Pinto M., Gales L., Damas A.M., Silva A.M.S., Eaton G. and Herz W. (2007). Merodrimanes and other constituents from *Talaromyces thailandiasis*. *Journal of Natural Products*, 70(7): 1200-1202.
74. Diaz-Almela E., Arnaud-Haond S., Vliet M.S., Álvarez E., Marbà N., Duarte C.M. and Serrão E.A. (2007). Feed-backs between genetic structure and perturbation-driven decline in seagrass (*Posidonia oceanica*) meadows. *Conservation Genetics*, 8: 1377-1391.
75. Diniz C., Leal S., Logan K., Rocha-Pereira C., Soares A.S., Rocha E., Gonçalves J. and Fresco P. (2007). Immunohistochemical localization of angiotensin II Receptor Types 1 and 2 in the mesenteric artery from spontaneously hypertensive rats. *Microscopy Research and Technique*, 70(8): 677-681.

76. Domingues I., Guilhermino L., Soares A.M.V.M. and Nogueira A.J. (2007). Assessing dimethoate contamination in temperate and tropical climates: potential use of biomarkers bioassays with two chironomid species. *Chemosphere*, 69(1): 145-154.
77. Domingues P.M., López N., Muñoz J.A., Maldonado T., Gaxiola G. and Rosas C. (2007). Effects of a dry pelleted diet on growth and survival of the Yucatan octopus, *Octopus maya*. *Aquaculture Nutrition*, 13(4): 273-280.
78. Einarsdottir I.E., Anjos L., Hildahl J., Björnsson B.T. and Power D.M. (2007). Isolation of Atlantic halibut pituitary hormones by continuous-elution electrophoresis followed by fingerprint identification, and assessment of growth hormone content during larval development. *General and Comparative Endocrinology*, 150(2): 355-363.
79. Eiras J.C., Abreu P.C., Robaldo R. and Pereira J. (2007). *Myxobolus platanus* n. sp. (Myxosporea, Myxobolidae), a parasite of *Mugil platanus* Günther, 1880 (Osteichthyes, Mugilidae) From Lagoa dos Patos, Brazil. *Arquivo Brasileiro de Medicina Veterinária*, 59(4): 895-898.
80. Eiras J.C., Júnior J.P., Sampaio L.A., Robaldo R. and Abreu P.C. (2007). *Myxobolus* sp. can cause *in vivo* myoliquefaction in the host *Paralichthys orbignyanus* (Osteichthyes, Paralichthyidae). *Diseases of Aquatic Organisms*, 77(3): 255-258.
81. Elumalai M., Antunes C. and Guilhermino L. (2007). Enzymatic biomarkers in the crab *Carcinus maenas* from the Minho River estuary (NW Portugal) exposed to zinc and mercury. *Chemosphere*, 66(7): 1249-1255.
82. Engrola S., Conceição L.F.C., Dias L., Pereira R., Ribeiro L. and Dinis M.T. (2007). Improving weaning strategies for Senegalese sole: effects of body weight and digestive capacity. *Aquaculture Research*, 38(7): 696-707.
83. Faltýnková A., Niewiodomska K., Santos M.J. and Valtonen T.F. (2007). *Furcocerous cercariae* (Trematoda) from freshwater snails in Central Finland. *Acta Parasitologica*, 52(4): 310-317.
84. Fernandes C., Fontainhas-Fernandes A., Monteiro S. and Salgado M.A. (2007). Histopathological gill changes in wild leaping grey mullet (*Liza saliens*) from the Esmoriz-Paramos coastal lagoon, Portugal. *Environmental Toxicology*, 22(4): 443-448.
85. Fernandes C., Fontainhas-Fernandes A., Peixoto F. and Salgado M.A. (2007). Bioaccumulation of heavy metals in *Liza saliens* from the Esmoriz-Paramos coastal lagoon, Portugal. *Ecotoxicology and Environmental Safety*, 66(3): 426-431.
86. Fernandes C., Fontainhas-Fernandes A., Monteiro S.M. and Salgado M.A. (2007). Changes in plasma electrolytes and gill histopathology in wild *Liza saliens* from the Esmoriz-Paramos coastal lagoon, Portugal. *Bulletin of Environmental Contamination and Toxicology*, 79(3): 301-305.
87. Fernandes R.M.S., Miranda J.M., Meijninger B.M.L., Bos M.S., Noomen R., Bastos L., Ambrosins B.A.C. and Riva R.E.M. (2007). Surface velocity field of the Ibero-Maghrebian segment of the Eurasia-Nubia Plate Boundary. *Geophysical Journal International*, 169(1): 315-324.
88. Ferreira M., Moradas-Ferreira P. and Reis-Henriques M.A. (2007). The effect of long-term depuration on levels of oxidative stress biomarkers in mullets (*Mugil cephalus*) chronically exposed to contaminants. *Marine Environmental Research*, 64(2): 181-190.
89. Ferreira C.S.G., Nunes B., Henriques-Almeida J.M.M. and Guilhermino L. (2007). Acute toxicity of oxytetracycline and florfenicol to the microalgae *Tetraselmis chuii* and to the crustacean *Artemia parthenogenetica*. *Ecotoxicology and Environmental Safety*, 67(3): 452-458.
90. Figueiredo-Fernandes A.M., Fontainhas-Fernandes A.A., Monteiro R.A.F., Reis-Henriques M.A. and Rocha E. (2007). Spatial relationships of the intrahepatic vascular-biliary tracts and associated pancreatic acini of Nile tilapia, *Oreochromis niloticus* (Teleostei, Cichlidae): a serial section study by light microscopy. *Annales of Anatomy – Anatomischer Anzeiger*, 189(1): 17-30.
91. Fonseca R., Antunes A., Mélo A. and Ramos M.J. (2007). Structural divergence and adaptive evolution in mammalian Cytochromes P450 2C. *Gene*, 387(1-2): 58-66.
92. Fonseca V.G., Laizé V., Valente M.S. and Cancela M.L. (2007). Identification of an osteopontin-like protein in fish associated with mineral formation. *FEBS Journal*, 274(17): 4428-4439.
93. Frasco M.F., Colletier J.-P., Weik M., Carvalho F., Guilhermino L., Stojan J. and Fournier D. (2007). Mechanisms of cholinesterase inhibition by inorganic mercury. *FEBS Journal*, 274(7): 1849-1861.

94. Freitas M.C., Pacheco A.M.G., Baptista M.S., Dionísio I., Vasconcelos M.T.S.D. and Cabral J.P. (2007). Response of exposed detached lichens to atmospheric elemental deposition. *Ecological Chemistry and Engineering*, 14(7): 631-644.
95. Freitas M.C., Pacheco A.M.G., Dionísio I., Sarmiento S., Baptista M.S., Vasconcelos M.T. and Cabral J.P. (2007). Instrumental neutron activation analysis and inductively coupled plasma mass spectrometry on atmospheric biomonitors. *Journal of Radioanalytical and Nuclear Chemistry*, 273(3): 705-711.
96. Freitas R., Medina A., Correia S. and Castro M. (2007). Reproductive biology of spiny lobster *Panulirus regius* from the northwestern Cape Verde Islands. *African Journal of Marine Science*, 29(2): 201-208.
97. Freitas V., Campos J., Fonds M. and Van der Veer H.W. (2007). Potential impact of temperature change on epibenthic predator-bivalve prey interactions in temperate estuaries. *Journal of Thermal Biology*, 32(6): 328-340.
98. Frija L.M.T., Reva I.D., Gómez-Zavaglia A., Cristiano M.L.S. and Fausto R. (2007). Photochemistry and vibrational spectra of matrix-isolated 5-ethoxy-1-phenyl-1H-tetrazole. *Journal of Physical Chemistry A*, 111(15): 2879-2888.
99. Frija L.M.T., Reva I.D., Gómez-Zavaglia A., Cristiano M.L.S. and Fausto R. (2007). UV-induced photochemistry of matrix-isolated 1-phenyl-4-allyl-tetrazolone. *Photochemical & Photobiological Sciences*, 6(11): 1170-1176.
100. Fuentes J., Guerreiro P.M., Modesto T., Rötlant J., Canário A.V.M. and Power D.M. (2007). A PTH/PTHrP receptor antagonist blocks the hypercalcemic response to estradiol-17 beta. *American Journal of Physiology: Regulatory, Integrative and Comparative Physiology*, 293(2): R956-R960.
101. Fuentes J., Haond C., Guerreiro P.M., Silva N., Power D.M. and Canário A.V.M. (2007). Regulation of calcium balance in the sturgeon *Acipenser naccarii*: a role for PTHrP. *American Journal of Physiology: Regulatory, Integrative and Comparative Physiology*, 293(2): R884-R893.
102. Garcia-López A., Couto E., Canário A.V.M., Sarasquete C. and Martínez-Rodríguez G. (2007) Ovarian development and plasma sex steroid levels in cultured female Senegalese sole *Solea senegalensis*. *Comparative Biochemistry and Physiology A - Molecular & Integrative Physiology*, 146(3): 342-354.
103. Garrido S., Rosa R., Ben-Hamadou R., Cunha M.E., Chícharo M.A. and van der Lingen C.D. (2007). Effect of maternal fat reserves on the fatty acid composition of sardine (*Sardina pilchardus*) oocytes. *Comparative Biochemistry and Physiology B - Biochemistry & Molecular Biology*, 148:(4) 398-409.
104. Gil I.M., Abrantes F. and Hebbeln D. (2007). Diatoms as upwelling and river discharge indicators along the Portuguese Margin: instrumental data linked to proxy information. *The Holocene*, 17(8): 1245-1252.
105. Gonçalves A.F., Castro L.F.C., Pereira-Wilson C., Coimbra J. and Wilson J.M. (2007). Is there a compromise between nutrient uptake and gas exchange in the gut of *Misgurnus anguillicaudatus*, an intestinal air breathing fish? *Comparative Biochemistry and Physiology D – Genomics and Proteomics*, 2(4): 345-355.
106. Gonçalves J.M.S., Stergiou K.L., Hernando J.A., Puente E., Moutopoulos D.K., Arregi L., Soriguer M.C., Vilas C., Coelho R. and Erzini K. (2007). Discards from experimental trammel nets in southern European small-scale fisheries. *Fisheries Research*, 88(1-3): 5-14.
107. Guerreiro P.M., Renfro J.L., Power D.M. and Canário A.V.M. (2007). The parathyroid hormone family of peptides: structure, tissue distribution, regulation, and potential functional roles in calcium and phosphate balance in fish. *American Journal of Physiology: Regulatory, Integrative and Comparative Physiology*, 292(2): R679-R696.
108. Guimarães L., Dominguez-del-Toro E., Chatonnet F., Wrobel L., Pujades C., Monteiro L.S. and Champagnat J. (2007). Exposure to retinoic acid at the onset of hindbrain segmentation induces episodic breathing in mice. *European Journal of Neuroscience*, 25(12): 3526-3536.
109. Hubbard P.C. and Canário A.V.M. (2007). Evidence that olfactory sensitivities to calcium and sodium are mediated by different mechanisms in the goldfish *Carassius auratus*. *Neuroscience Letters*, 414(1): 90-93.
110. Huertas M., Hubbard P.C., Canário A.V.M. and Cerda J. (2007). Olfactory sensitivity to conspecific bile fluid and skin mucus in the European eel *Anguilla anguilla* (L.). *Journal of Fish Biology*, 70(6): 1907-1920.
111. Hung C.Y.C., Tsui K.N.T., Wilson J.M., Nawata C.M., Wood C.M. and Wright P.A. (2007). Rhesus glycoprotein gene expression in the mangrove killifish *Kryptolebias marmoratus* exposed to elevated environmental ammonia levels and air. *Journal of Experimental Biology*, 210(14): 2419-2429.
112. Jackson G.D., Bustamante P., Cherel Y., Fulton E.A., Grist E.P.M., Jackson C.H., Nichols P.D., Pethybridge H., Phillips K., Ward R.D. and Xavier J.C. (2007). Applying new tools to cephalopod trophic dynamics and

- ecology: perspectives from the Southern Ocean Cephalopod Workshop, February 2-3, 2006. *Reviews in Fish Biology and Fisheries*, 17(2-3): 79-99.
113. Jordanova M., Miteva N. and Rocha E. (2007). A quantitative study of the hepatic eosinophilic granule cells and rodlet cells during the breeding cycle of Ohrid trout, *Salmo letnica* Kar. (Teloestei, Salmonidae). *Fish & Shellfish Immunology*, 23(2): 473-478.
 114. Jeamjitt O., Manoch L., Visarathanonth N., Chamswarng C., Watling R., Scharples G.P. and Kijjoo A. (2007). Coprophilous ascomycetes in Thailand. *Mycotaxon*, 100: 115-136.
 115. Kijjoo A., Naengchomng W. and Herz W. (2007). Spiciflorin: a novel clerodane from *Cleidion spiciflorum* (Euphorbiaceae). *Planta Medica*, 73(9): 924-925.
 116. Kijjoo A., Wattanadilok R., Campos N., São José Nascimento M., Pinto M. and Herz W. (2007). Anticancer activity evaluation of kuanoniamines A and C isolated from the marine sponge *Oceanapia sagittaria*, collected from the Gulf of Thailand. *Marine Drugs*, 5(2): 6-22.
 117. Kohli V., Robles V., Cancela M.L., Acker J.P., Waskiewicz A.J. and Elezabi A.Y. (2007). An alternative method for delivering exogenous material into developing zebrafish embryos. *Biotechnology and Bioengineering*, 98(6): 1230-1241.
 118. Laporte J., Woodgate S.T., Davies S.J., Serwata R., Gouveia A. and Nates S.F. (2007). Biotechnological process and biological value of feather meal: evaluation of a novel protein source for the partial replacement of fish meal in aquafeeds. *International Aquafeed*, 10(4): 16-23.
 119. Laporte J., Woodgate S.T., Davies S.J., Serwata R. and Gouveia A. (2007). Poultry meat meal: a valuable source of protein for the partial replacement of fish meal in aquafeeds. *International Aquafeed*, 10(2): 12-17.
 120. Leão P.N., Vasconcelos M.T. and Vasconcelos V.M. (2007). Role of marine cyanobacteria in trace metal bioavailability in seawater. *Microbial Ecology*, 53(1):104-109.
 121. Lima L., Moreira S.M., Soares A.M.V.M. and Guilhermino L. (2007). Biochemical responses of the marine mussel *Mytilus galloprovincialis* to petrochemical environmental contamination along the North-western coast of Portugal. *Chemosphere*, 66(7): 1230-1242.
 122. Lobo-da-Cunha A. and Batista-Pinto C. (2007). Ultrastructural, histochemical and cytochemical characterisation of intestinal epithelial cells in *Aplysia depilans* (Gastropoda, Opisthobranchia). *Acta Zoologica*, 88(3): 211-221.
 123. Lopes I., Moreira-Santos M., da Silva E.M., Sousa J.P., Guilhermino L., Soares A.M.V.M. and Ribeiro R. (2007). In situ assays with tropical cladocerans to evaluate edge-of-field pesticide runoff toxicity. *Chemosphere*, 67(11): 2250-2256.
 124. Luo S.J., Cai Q.X., David V.A., Zhang L., Martelli P., Lim N.T.L., Ferrand N., Chin S.C., Gaubert P., Ramos M.J., O'Brien S.J., Antunes A. and Johnson W.E. (2007). Isolation and characterization of microsatellite markers in pangolins (Mammalia, Pholidota, *Manis* spp.). *Molecular Ecology Notes*, 7(2): 269-272.
 125. Magalhães C., Bano N., Wiebe W.J., Hollibaugh J.T. and Bordalo A.A. (2007). Composition and activity of beta-Proteobacteria ammonia-oxidizing communities associated with intertidal rocky biofilms and sediments of the Douro River estuary, Portugal. *Journal of Applied Microbiology*, 103(4): 1239-1250.
 126. Magalhães C., Costa J., Teixeira C. and Bordalo A.A. (2007). Impact of trace metals on denitrification in estuarine sediments of the Douro River estuary, Portugal. *Marine Chemistry*, 107(3): 332-341.
 127. Marcos R., Monteiro R.A.F. and Rocha E. (2007). Determination of hepatocellularity number in the rat. *Toxicology in Vitro*, 21(8): 1692-1693.
 128. Marques C.L., Rafael M.S., Cancela M.L. and Laizé V. (2007). Establishment of primary cell cultures from fish calcified tissues. *Cytotechnology*, 55(1): 9-13.
 129. Marques J.F., Santos M.J., Gibson D.I., Cabral H.N. and Olson P.D. (2007). Cryptic species of *Didymobothrium rudolphii* (Cestoda: Spathebothriidea) from the sand sole, *Solea lascaris*, off the Portuguese coast, with an analysis of their molecules, morphology, ultrastructure and phylogeny. *Parasitology*, 134(7): 1057-1072.
 130. Martins D.A., Valente L.M.P. and Lall S.P. (2007). Effects of dietary lipid level on growth and lipid utilization by juvenile Atlantic halibut (*Hippoglossus hippoglossus*, L.). *Aquaculture*, 263(1-4): 150-158.
 131. Martins D.A., Afonso L.O.B., Hosoya S., Lewis-McCrea L.M., Valente L.M.P. and Lall S. (2007). Effects of moderately oxidized dietary lipid and the role of vitamin E on the stress response in Atlantic halibut (*Hippoglossus hippoglossus* L.). *Aquaculture*, 272(1-4): 573-580.

132. Martins da Costa P., Oliveira M., Bica A., Vaz-Pires P. and Bernardo F. (2007). Antimicrobial resistance in *Enterococcus* spp. and *Escherichia coli* isolated from poultry feed and feed ingredients. *Veterinary Microbiology*, 120(1-2): 122-131.
133. Martins da Costa P., Vaz-Pires P. and Bernardo F. (2007). Antimicrobial resistance in *Escherichia coli* isolated in inflow, effluent and sludge from municipal wastewater treatment plants. *Urban Water Journal*, 4(4): 275-281.
134. Martins J., Ribeiro K., Rangel-Figueiredo T. and Coimbra J. (2007). Reproductive cycle, ovarian development, and vertebrate-type steroids profile in the freshwater prawn *Macrobrachium rosenbergii*. *Journal of Crustacean Biology*, 27(2): 220-228.
135. Martins J., Soares M.L., Saker M.L., Oliva-Teles L. and Vasconcelos V.M. (2007). Phototactic behaviour in *Daphnia magna* Straus as an indicator of toxicants in the aquatic environment. *Ecotoxicology and Environmental Safety*, 67(3):417-422.
136. Martins J.C., Oliva-Teles L. and Vasconcelos V. (2007). Assays with *Daphnia magna* and *Danio rerio* as alert systems in aquatic toxicology. *Environment International*, 33(3): 414-425.
137. Martins J.C., Saker M.L., Oliva-Teles L.F. and Vasconcelos V.M. (2007). Oxygen consumption in *Daphnia magna* Straus as a marker of chemical stress in the aquatic environment. *Environmental Toxicology and Chemistry*, 26(9): 1987-1991.
138. Martins R., Fernandez N., Beiras R. and Vasconcelos V.M. (2007). Toxicity assessment of crude and partially purified extracts of marine *Synechocystis* and *Synechococcus* cyanobacterial strains in marine invertebrates. *Toxicol*, 50(6): 791-799.
139. Martins R.S.T., Deloffre L.A.M., Mylonas C.C., Power D.M. and Canário A.V.M. (2007). Developmental expression of DAXI in the European sea bass, *Dicentrarchus labrax*: lack of evidence for sexual dimorphism during sex differentiation. *Reproductive Biology and Endocrinology*, 5: 19.
140. Mata L., Silva J., Schuenhoff A. and Santos R. (2007). Is the tetrasporophyte of *Asparagopsis armata* (Bonnemaisoniales) limited by inorganic carbon in integrated aquaculture? *Journal of Phycology*, 43(6): 1252-1258.
141. Mateos-Naranjo E., Redondo-Gomez S., Silva J., Santos R. and Figueroa M.E. (2007). Effect of prolonged flooding on the invader *Spartina densiflora* Brong. *Journal of Aquatic Plant Management*, 45: 121-123.
142. Matos P., Fontainhas-Fernandes A., Peixoto F., Carrola J. and Rocha E. (2007). Biochemical and histological hepatic changes of Nile tilapia *Oreochromis niloticus* exposed to carbaryl. *Pesticide Biochemistry and Physiology*, 89(1): 73-80.
143. Martrat B., Grimalt J.O., Shackleton N.J., De Abreu L., Hutterli M.A. and Stocker T.F. (2007). Four climate cycles of recurring deep and surface water destabilizations on the Iberian Margin. *Science*, 317: 502-507.
144. McGourty K.R., Kinziger A.P., Hendrickson G.L., Goldsmith G.H., Casal G. and Azevedo C. (2007). A new microsporidian infecting the musculature of the endangered tidewater goby (Gobiidae). *Journal of Parasitology*, 93(3): 655-660.
145. Medeiros R., Ramos J.A., Paiva V.H., Almeida A., Pedro P. and Antunes S. (2007). Signage reduces the impact of human disturbance on little tern nesting success in Portugal. *Biological Conservation*, 135(1): 99-106.
146. Medina M.H., Correa J.A. and Barata C. (2007). Micro-evolution due to pollution: possible consequences for ecosystem responses to toxic stress. *Chemosphere*, 67(11): 2105-2114.
147. Mendonça V.M., Raffaelli D.G. and Boyle P.R. (2007). Interactions between shorebirds and benthic invertebrates at Culbin Sands lagoon, NE Scotland: effects of avian predation on their prey community density and structure. *Scientia Marina*, 71(3): 579-591.
148. Mendonça V.M., Raffaelli D., Boyle P. and Emes C. (2007). The ecological role of overwintering fish in the food web of the Culbin Sands lagoon ecosystem, NE Scotland: identifying major trophic links and testing effects of the fish *Pomatoschistus microps* (Pallas) on benthic invertebrates. *Scientia Marina*, 71(4): 649-660.
149. Micael J., Reis-Henriques M.A., Carvalho A.P. and Santos M.M. (2007). Genotoxic effects of binary mixtures of xenoandrogens (tributyltin, triphenyltin) and a xenoestrogen (ethinylestradiol) in a partial life-cycle test with zebrafish (*Danio rerio*). *Environment International*, 33(8): 1035-1039.
150. Mieiro C.L., Pato P., Pereira E., Mirante F., Coutinho J.A.P., Pinheiro L.M., Magalhães V.H. and Duarte A.C. (2007). Total mercury in sediments from mud volcanoes in Gulf of Cadiz. *Marine Pollution Bulletin*, 54(9): 1539-1544.

151. Mondranondra I.O., Suedee A., Kijjoo A., Pinto M., Nazareth N., São José Nascimento M. and Herz W. (2007). Constituents of *Polyalthia jucunda* and their cytotoxic effect on human cancer cell lines. *Planta Medica*, 73(9): 925-925.
152. Monteiro M., Quintaneiro C., Nogueira A.J.A., Morgado F., Soares A.M.V.M. and Guilhermino L. (2007). Impact of chemical exposure on the fish *Pomatoschistus micropsis* Krøyer (1838) in estuaries of the Portuguese Northwest coast. *Chemosphere*, 66(3): 514-522.
153. Morais P., Borges T.C., Carnall V., Terrinha P., Cooper C. and Cooper R. (2007). Trawl-induced bottom disturbances off the south coast of Portugal: direct observations by the 'Delta' manned-submersible on the Submarine Canyon of Portimão. *Marine Ecology - An Evolutionary Perspective*, 28(s1): 112-122.
154. Morais S., Conceição L.E.C., Rønnestad I., Koven W., Cahu C., Infante J.L.Z. and Dinis M.T. (2007). Dietary neutral lipid level and source in marine fish larvae: Effects on digestive physiology and food intake. *Aquaculture*, 268(1-4): 106-122.
155. Morgado I., Hamers T., Van der Ven L. and Power D.M. (2007). Disruption of thyroid hormone binding to sea bream recombinant transthyretin by ioxinyl and polybrominated diphenyl ethers. *Chemosphere*, 69(1): 155-163.
156. Morgado I., Santos C.R.A., Jacinto R. and Power D.M. (2007). Regulation of transthyretin by thyroid hormones in fish. *General and Comparative Endocrinology*, 152(2-3): 189-197.
157. Moura T., Figueiredo I., Farias I., Serra-Pereira B., Coelho R., Erzini K., Neves A. and Gordo L.S. (2007). The use of caudal thorns for ageing *Raja undulata* from the Portuguese continental shelf, with comments on its reproductive cycle. *Marine and Freshwater Research*, 58(11): 983-992.
158. Mucha A.P., Almeida C.M.R., Bordalo A.A. and Vasconcelos M.T.S.D. (2008). Salt marsh plants (*Juncus maritimus* and *Scirpus maritimus*) as sources of strong complexing ligands. *Estuarine Coastal Shelf Science*, 77(1): 104-112.
159. Naughton E., Sanchez Goñi M.F.S., Desprat S., Turon J.-L., Duprat J., Malaizé B., Joli C., Cortijo E., Drago T. and Freitas M.C. (2007). Present-day and past (last 25 000 years) marine pollen signal off western Iberia. *Marine Micropaleontology*, 62(2): 91-114.
160. Nawata C.M., Hung C.C.Y, Tsui T.K.N., Wilson J.M., Wright P.A. and Wood C.M. (2007). Ammonia excretion in rainbow trout (*Oncorhynchus mykiss*): evidence for Rh glycoprotein and H⁺-ATPase involvement. *Physiological Genomics*, 31(3): 463-474.
161. Oliveira F., Erzini K., Goncalves J.M.S. (2007). Feeding habits of the deep-snouted pipefish *Syngnathus typhle* in a temperate coastal lagoon. *Estuarine Coastal and Shelf Science*, 72(1-2): 337-347.
162. Osório D.S., Antunes A. and Ramos M.J. (2007). Structural and functional implications of positive selection at the primate angiogenin Gene. *BMC Evolutionary Biology*, 7: 167.
163. Osswald J., Rellán S., Carvalho A.P., Gago A. and Vasconcelos V.M. (2007). Acute effect of an anatoxin-a producing cyanobacterium on juvenile fish – *Cyprinus carpio* L. *Toxicol*, 49(5): 693-698.
164. Osswald J., Rellán S., Gago A. and Vasconcelos V.M. (2007). Toxicology and detection methods of the alkaloid neurotoxin produced by cyanobacteria anatoxina-a. *Environment International*, 33(8): 1070-1089.
165. Patarnello T., Volckaert F.A.M.J. and Castilho R. (2007). Pillars of Hercules: is the Atlantic-Mediterranean transition a phylogeographical break? *Molecular Ecology*, 16(21): 4426-4444.
166. Pennings S.C., Zimmer M., Dias N., Sprung M., Davé N., Ho C.K., Kunza A., McFarlin C., Mews M., Pfaunder A. and Salgado C. (2007). Latitudinal variation in plant-herbivore interactions in European salt marshes. *Oikos*, 116(4): 543-549.
167. Peres H. and Oliva-Teles A. (2007). Effect of the dietary essential amino acid pattern on growth, feed utilization and nitrogen metabolism of European sea bass (*Dicentrarchus labrax*). *Aquaculture*, 267(1-4): 119-128.
168. Pérez-Jiménez A., Guedes M.J., Morales A.E. and Oliva-Teles A. (2007). Metabolic responses to short starvation and refeeding in *Dicentrarchus labrax*. Effect of dietary protein level. *Aquaculture*, 265(1-4): 325-335.
169. Perrin C., Daguin C., Van De Vliet M., Engel C.R., Pearson G.A. and Serrão E.A. (2007) Implications of mating system for genetic diversity of sister algal species: *Fucus spiralis* and *Fucus vesiculosus* (Heterokontophyta, Phaeophyceae). *European Journal of Phycology*, 42(3): 219-230.
170. Pimentel-Rodrigues A. and Oliva-Teles A. (2007). Phosphorus availability of inorganic phosphates and fish meals in European sea bass (*Dicentrarchus labrax* L.) juveniles. *Aquaculture*, 267(1-4): 300-307.

171. Pina S.M.R., Russell-Pinto E. and Rodrigues P. (2007). Clarification of *Cercaria sevilla* (Digenea: Microphallidae) life cycle of using morphological and molecular data. *Journal of Parasitology*, 93(2): 318-322.
172. Pinho P.M.M. and Kijjoo A. (2007). Chemical constituents of the plants of the genus *Cleistanthus* and their biological activity. *Phytochemistry Reviews*, 6(1): 175-182.
173. Pinto W., Aragão C., Soares F., Dinis M.T. and Conceição L.E.C. (2007). Growth, stress response and free amino acid levels in Senegalese sole (*Solea senegalensis* Kaup 1858) chronically exposed to exogenous ammonia. *Aquaculture Research*, 38(11): 1198-1204.
174. Pittman K., Rønnestad I., Gavaia P., Cancela M.L., Guerreiro P., Ribeiro L., Aragão C., Hamre K., Moren M., Yúfera M. and Conceição L. (2007). Fish larval research: a tool for sustainable food production and understanding environmental impacts on developing organisms. *Aquaculture Europe*, 32: 5-10.
175. Pontius J.U., Mullikin J.C., Smith D., Agencourt Sequencing Team, Lindblad-Toh K., Gnerre S., Clamp M., Chang J., Stephens R., Neelam B., Volfovsky N., Schäffer A.A., Agarwala R., Narfström K., Murphy W.J., Giger U., Roca A.L., Antunes A., Menotti-Raymond M., Yuhki N., Pecon-Slattery J., Johnson W.E., Bourque G., Tesler G., NISC Sequencing Program and O'Brien S.J. (2007). Initial sequence and comparative analysis of the cat genome. *Genome Research*, 17(11): 1675-1689.
176. Ramos M.E., Costa A.R., Barandela T., Saraiva A. and Rodrigues P.N. (2007). Scuticociliate infection and pathology in cultured turbot *Scophthalmus maximus* from the North of Portugal. *Diseases of Aquatic Organisms*, 74(3): 249-253.
177. Rangel M.O. and Erzini K. (2007). An assessment of catches and harvest of recreational shore angling in the north of Portugal. *Fisheries Management and Ecology*, 14(5): 343-352.
178. Rawn D.F.K., Niedzwiedek B., Lau B.P.Y. and Saker M. (2007). Anatoxin-a and its metabolites in blue-green algae food supplements from Canada and Portugal. *Journal of Food Protection*, 70(3): 776-779.
179. Rellán P.S., Osswald J., Vasconcelos V. and Gago-Martinez A. (2007). Analysis of anatoxin-a in biological samples using liquid chromatography with fluorescence detection after solid phase extraction and solid phase microextraction. *Journal of Chromatography A*, 1156(1-2):134-140.
180. Rema P., Conceição L.E.C., Evers F., Castro-Cunha M., Dinis M.T. and Dias J. (2007). Optimal dietary protein levels in juvenile Senegalese sole (*Solea senegalensis*). *Aquaculture Nutrition*, 14: 263-269.
181. Ribeiro C., Tiritan M.E., Rocha E. and Rocha M.J. (2007). Development and validation of a HPLC-DAD method for determination of several endocrine disrupting compounds in estuarine water. *Journal of Liquid Chromatography & Related Technologies*, 30(18): 2729-2746.
182. Robles V. and Cancela M.L. (2007). Lipid-based transfection as a method for gene delivery in zebrafish (*Danio rerio*) embryos. *Aquaculture Research*, 38(12): 1317-1322.
183. Robles V., Barbosa V., Herráez M.P., Martinez-Paramo S. and Cancela M.L. (2007). The antifreeze protein type I (AFP I) increases seabream (*Sparus aurata*) embryos tolerance to low temperatures. *Theriogenology*, 68(2): 284-289.
184. Robles V., Cabrita E., de Paz P. and Herraéz M.P. (2007). Studies on chorion hardening inhibition and dechorionization in turbot embryos. *Aquaculture*, 262(1-4): 535-540.
185. Rodrigues P.M.L., Cordeiro O., Silva, T.S. and Conceição L.E.C. (2007). Skeletal development analysis by two-dimensional electrophoresis (2DE) in white bream (*Diplodus sargus*), fed with different diets. *Journal of Bone and Mineral Research*, 22: S282-S282.
186. Rønnestad I., Gavaia P.J., Viegas C.S.B., Verri T., Romano A., Nilsen T.O., Jordal A.E.O., Kamisaka Y. and Cancela M.L. (2007). Oligopeptide transporter PepT1 in Atlantic cod (*Gadus morhua* L.): cloning, tissue expression and comparative aspects. *Journal of Experimental Biology*, 210(22): 3883-3896.
187. Rønnestad I., Kamisaka Y., Conceição L.E.C., Morais S. and Tonheim S.K. (2007). Digestive physiology of marine fish larvae: hormonal control and processing capacity for proteins, peptides and amino acids. *Aquaculture*, 268(1-4): 82-97.
188. Rozenfeld A.F., Arnaud-Haond S., Hernandez-Garcia E., Eguluz V.M., Matias M.A., Serrão E. and Duarte C.M. (2007). Spectrum of genetic diversity and networks of clonal organisms. *Journal of the Royal Society Interface*, 4(17): 1093-1102.
189. Saavedra M., Beltran M., Pousão-Ferreira P., Dinis M.T., Blasco J. and Conceição L.E.C. (2007). Evaluation of bioavailability of individual amino acids in *Diplodus puntazzo* larvae: Towards the ideal dietary amino acid profile. *Aquaculture*, 263(1-4): 192-198.

190. Santos A.M.P., Chícharo A., Dos Santos A., Moita T., Oliveira P.B., Peliz A. and Ré P. (2007). Physical-biological interactions in the life history of small pelagic fish in the Western Iberia Upwelling Ecosystem. *Progress in Oceanography*, 74(2-3): 192-209.
191. Saqrane S., El Ghazali I., Ouahid Y., El Hassini M., El Hadrami I., Bouarab L., del Campo F.F., Oudra B. and Vasconcelos V.M. (2007). Phytotoxic effects of cyanobacteria extract on the aquatic plant *Lemna gibba*: microcystin accumulation, detoxication and oxidative stress induction. *Aquatic Toxicology*, 83(4): 284-294.
192. Sá R., Pousão-Ferreira P. and Oliva-Teles, A. (2007). Growth performance and metabolic utilization of diets with different protein: carbohydrate ratios by white sea bream (*Diplodus sargus*) juveniles. *Aquaculture Research*, 38(1): 100-105.
193. Saker M., Vale M., Kramer D. and Vasconcelos V.M. (2007). Molecular techniques for the early warning of toxic cyanobacteria blooms in freshwater lakes and rivers. *Applied Microbiology and Biotechnology*, 75(2): 441-449.
194. Saker M., Welker M. and Vasconcelos V.M. (2007). Multiplex PCR for the detection of toxigenic cyanobacteria in dietary supplements produced for human consumption. *Applied Microbiology & Biotechnology*, 73(5):1136-1142.
195. Santos M.J., Karvonen A., Pedro J.C., Faltynkova A., Seppala O. and Valtonen E.T. (2007). Qualitative and quantitative behavioral traits in a community of furcocercariae trematodes: Tools for species separation? *Journal of Parasitology*, 93(6): 1319-1323.
196. Santos R., Machado M.J.C., Ruiz I., Sato K. and Vasconcelos M.T.S.D. (2007). Space charge and mass discrimination effects on lead isotope ratio measurements by ICP-QMS in environmental samples with high uranium content. *Journal of Analytical Atomic Spectrometry*, 22(7): 783-790.
197. Santos M.J., Karvonen A., Pedro J.C., Faltynková A., Seppälä O. and Valtonen E.T. (2007). Qualitative and quantitative behavioural traits in a community of furcocercarial trematodes – tools for species separation? *Journal of Parasitology*, 93(6): 1319-1323.
198. Silva K., Vieira M.N., Almada V.C. and Monteiro N.M. (2007). The effect of temperature on mate preferences and female-female interactions in *Syngnathus abaster*. *Animal Behaviour*, 74(5): 1525-1533.
199. Silva P., Rocha E., Olmedo M., Álvarez-Blázquez B., Galante M.H. and Valente L.M.P. (2007). Temperature effects on muscle fibres number at hatch and first feeding in blackspot seabream (*Pagellus bogaraveo*). *Archives of Animal Breeding, Dummerstorf*, 50(special issue): 6-7.
200. Silva V.S., Nunes M.A., Cordeiro J.M., Calejo A.I., Santos S., Neves P., Sykes A., Morgado F., Dunant Y. and Gonçalves P.P. (2007). Comparative effects of aluminum and ouabain on synaptosomal choline uptake, acetylcholine release and (Na⁺/K⁺)ATPase. *Toxicology*, 236(3): 158-177.
201. Soares S.S., Gutiérrez-Merino C. and Aureliano M. (2007). Decavanadate induces mitochondrial membrane depolarization and inhibits oxygen consumption. *Journal of Inorganic Biochemistry*, 101(5): 789-796.
202. Soares S.S., Gutiérrez-Merino C. and Aureliano M. (2007). Mitochondria as a target for decavanadate toxicity in *Sparus aurata* heart. *Aquatic Toxicology*, 83(1): 1-9.
203. Soares S.S., Martins H., Duarte R.O., Moura J.J.G., Coucelo J., Gutierrez-Merino C. and Aureliano M. (2007). Vanadium distribution, lipid peroxidation and oxidative stress markers upon decavanadate in vivo administration. *Journal of Inorganic Biochemistry*, 101(1): 80-88.
204. Socorro S., Martins R.S., Deloffre L., Mylonas C.C. and Canário A.V.M. (2007). A cDNA for European sea bass (*Dicentrarchus labrax*) 11 beta-hydroxylase: Gene expression during the thermosensitive period and gonadogenesis. *General and Comparative Endocrinology*, 150(1): 164-173.
205. Sousa R., Antunes C. and Guilhermino L. (2007). Species composition and monthly variation of the Molluscan fauna in the freshwater subtidal area of the River Minho estuary. *Estuarine, Coastal and Shelf Science*, 75(1-2): 90-100.
206. Sousa R., Dias S. and Antunes C. (2007). Subtidal macrobenthic structure in the lower Lima estuary, NW of Iberian Peninsula. *Annales Zoologici Fennici*, 44(4):303-313.
207. Sousa R., Freire R., Rufino M., Méndez J., Gaspar M., Antunes C. and Guilhermino L. (2007). Genetic and shell morphological variability of the invasive bivalve *Corbicula fluminea* (Müller, 1774) in two Portuguese estuaries. *Estuarine, Coastal and Shelf Science*, 74(1-2): 166-174.
208. Stefanni S., Porteiro F.M., Bettencourt R., Gavaia P.J. and Santos R.S. (2007). Molecular insights indicate that *Pachycara thermophilum* (Geistdoerfer, 1994) and *P. saldanhai* (Biscoito and Almeida, 2004) (Perciformes: Zoarcidae) from the Mid-Atlantic Ridge are synonymous species. *Molecular Phylogenetics and Evolution*, 45(1): 423-426.

209. Stergiou K.I., Moutopoulos D.K., Casal H.J.A. and Erzini K. (2007). Trophic signatures of small-scale fishing gears: implications for conservation and management. *Marine Ecology Progress Series*, 333: 117-128.
210. Stocks P.A., Bray P.G., Barton V.E., Al-Helal M., Araújo N.C.P., Gibbons P., Ward S.A., Hughes R.H., Biagini G.A., Davies J., Amewu R. and O' Neill P.M. (2007). A common "free iron" dependent mechanism of activation among diverse antimalarial endoperoxide structures. *Angewandte Chemie International Edition*, 119: 1-7.
211. Suedee A., Mondranondra I.-O., Kijjoa A., Pinto M., Nazareth N., São José Nascimento M., Silva A.M.S. and Herz W. (2007). Constituents of *Polyalthia jacunda* and their cytotoxic effect on human cancer cell lines. *Pharmaceutical Biology*, 45(7): 575-579.
212. Teles-Grilo M.L., Duarte S.M., Tato-Costa J., Gaspar-Maia A., Oliveira C., Rocha A.A., Marques A., Cordeiro-da-Silva A. and Azevedo C. (2007). Molecular Karyotype Analysis of *Perkinsus atlanticus* (Phylum Perkinsozoa) by pulsed field gel electrophoresis. *European Journal of Protistology*, 43(4): 315-318.
213. Teles-Grilo, M.L., Tato-Costa J., Duarte S.M., Maia A., Casal G. and Azevedo C. (2007). Is there a plastid in *Perkinsus atlanticus* (Phylum Perkinsozoa)? *European Journal of Protistology*, 43(2): 163-167.
214. Tiago T., Martel P., Gutiérrez-Merino C and Aureliano M. (2007). Binding modes of decavanadate to myosin and inhibition of the actomyosin ATPase activity. *Biochimica et Biophysica Acta*, 1774(4): 474-480.
215. Valente L.M.P., Bandarra N.M., Figueiredo-Silva A.C., Cordeiro A.R., Simões R.M. and Nunes M.L. (2007). Influence of conjugated linoleic acid on growth, lipid composition and hepatic lipogenesis in juvenile European sea bass (*Dicentrarchus labrax*). *Aquaculture*, 267(1-4): 225-235.
216. Valente L.M.P., Bandarra N.M., Figueiredo-Silva A.C., Rema P., Vaz-Pires P., Martins S., Prates J.A.M. and Nunes M.L. (2007). Conjugated linoleic acid in diets for large size rainbow trout (*Oncorhynchus mykiss*): effects on growth, chemical composition and sensory attributes. *British Journal of Nutrition*, 97: 289-297.
217. Varela-Álvarez E., Stengel D.B. and Guiry M.D. (2007). Seasonal growth and phenotypic variation in *Porphyra linearis* (Rhodophyta) populations on the west coast of Ireland. *Journal of Phycology*, 43(1): 90-100.
218. Varó I., Navarro J.C., Nunes B. and Guilhermino L. (2007). Effects of dichlorvos aquaculture treatments on selected biomarkers of gilthead sea bream (*Sparus aurata* L.) fingerlings. *Aquaculture*, 266(1-4): 87-96.
219. Varó I., Nunes B., Amat F., Torreblanca A., Guilhermino L. and Navarro J.C. (2007). Effect of sublethal concentrations of copper sulphate on seabream *Sparus aurata* fingerlings. *Aquatic Living Resources*, 20(3): 263-270.
220. Vasconcelos P., Curdia J., Castro M. and Gaspar M.B. (2007). The shell of *Hexaplex (Trunculariopsis) trunculus* (Gastropoda: Muricidae) as a mobile hard substratum for epibiotic polychaetes (Annelida: Polychaeta) in the Ria Formosa (Algarve coast-southern Portugal). *Hydrobiologia*, 575: 161-172.
221. Vasconcelos V.M., Wiegand C. and Pflugmacher S. (2007). Dynamics of Glutathione-S-transferases in *Mytilus galloprovincialis* exposed to toxic *Microcystis aeruginosa* cells, extracts and pure toxins. *Toxicol*, 50(6): 740-745.
222. Velez Z., Hubbard P.C., Barata E.N. and Canário A.V.M. (2007). Differential detection of conspecific-derived odorants by the two olfactory epithelia of the Senegalese sole (*Solea senegalensis*). *General and Comparative Endocrinology*, 153(1-3): 418-425.
223. Velez Z., Hubbard P.C., Hardege J., Barata E.N. and Canário A.V.M. (2007). The contribution of amino acids to the odour of a prey species in the Senegalese sole (*Solea senegalensis*). *Aquaculture*, 265(1-4): 336-342.
224. Viegas D.C.N. and Cunha S.R. (2007). Precise positioning by phase processing of sound waves. *IEEE Transactions on Signal Processing*, 55(12): 5731-5738.
225. Wattanadilok R., Sawangwong P., Rodrigues C., Cidade H., Pinto M., Pinto E., Silva A. and Kijjoa A. (2007). Antifungal activity evaluation of the constituents of *Haliclona baeri* and *Haliclona cymaiformis*, collected from the Gulf of Thailand. *Marine Drugs*, 5: 40-51.
226. Wilson J.M., Leitão A., Gonçalves A.F., Ferreira C., Reis-Santos P., Fonseca A.-V., Moreira da Silva J., Antunes J.C., Pereira-Wilson C.M. and Coimbra J. (2007). Modulation of branchial ion transport protein expression by salinity in the glass eels (*Anguilla anguilla* L.). *Marine Biology*, 151(5): 1633-1645.
227. Wilson J.M., Reis-Santos P.N., Fonseca A.-V., Antunes J.C., Bouca P.D. and Coimbra J. (2007) Seasonal changes in ionoregulatory parameters of the glass eel *Anguilla anguilla* following estuarine entry: comparison with resident elvers. *Journal of Fish Biology*, 70(4): 1239-1253.

228. Wirtz P. (2007). The return of the yellow grouper - annual migration and return to the same site by a xanthistic *Mycteroperca fusca* (Pisces Serranidae). *Aqua*, 13/1: 31-34.
229. Wirtz P., Ferreira C.E.L., Floeter S.R., Fricke R., Gasparini J.L., Iwamoto T., Rocha L., Sampaio C.L.S. and Schliwen U.K. (2007). Coastal fishes of São Tomé and Príncipe islands, Gulf of Guinea (Eastern Atlantic Ocean) - an update. *Zootaxa*, 1523: 1-48.
230. Xavier J.C. and Croxall J.P. (2007). Predator-prey interactions: why do larger albatrosses eat bigger squid? *Journal of Zoology*, 271(4): 408-417.
231. Xavier J.C., Wood A.G., Rodhouse P.G. and Croxall J.P. (2007). Interannual variations in cephalopod consumption by albatrosses at South Georgia: implications for future commercial exploitation of cephalopods. *Marine and Freshwater Research*, 58(12): 1136-1143.
232. Xavier L., Vale M. and Vasconcelos V.M. (2007). Eutrophication, phytoplankton dynamics and nutrient removal in two urban artificial lakes (Palácio de Cristal and Serralves), Porto, Portugal. *Lakes & Reservoirs: Research and Management*, 12(3):209-214.
233. Yun H.Y., Cruz J., Treitschke M., Wahl M. and Molis M. (2007). Testing for the induction of anti-herbivory defences in four Portuguese macroalgae by direct and water-borne cues of grazing amphipods. *Helgoland Marine Research*, 61(3): 203-209.



FCT Fundação para a Ciência e a Tecnologia

MINISTÉRIO DA CIÊNCIA, TECNOLOGIA E ENSINO SUPERIOR

**Ciência. Inovação
2010**

Programa Operacional Ciência e Inovação 2010

MINISTÉRIO DA CIÊNCIA, TECNOLOGIA E ENSINO SUPERIOR